



Our range of media furniture in a contemporary handleless design provides an ideal solution for the modern home where open plan design brings the kitchen and living area together.

This furniture is beautifully created to conceal all the items associated with a homemedia centre. The cleverly designed back panel eliminates all the clutter created by numerous cables whilst control of all devices can be achieved from your existing remote even when the cabinet doors are closed by the use of an intelligent infared sensor.

Our furniture is available in 32 slab door designs and complementary cabinet finishes enabling you to co-ordinate or mix and match a style that suits you. Many of our finishes can also be used to beautifully match our kitchen range.

All our cabinets are handbuilt to order in the UK and benefit from a five year guarantee.

De-dutter your living space'

The Media range is a 'modular' furniture system that provides all the elements you need to organise your available space and present a flexible stylish storage solution for your media equipment. Illustrated below are the key components that go to make up the range.



- Basehoard (to suit Floor Standing back nanel)
- 2 Plinth Support (to suit Wall Hung back panel)
- Base Cabinet with fold down door
- 9 Base Cabinet with built in electric fire
- 5 Rase Cabinet with null out drawer
- 6 Recessed Handle Rail in Aluminium including end caps
- 7 Infrared Sensor Repeater Kit

- 8 Continuous tor
- 9 Wall Cabinet
- 10 Flat screen TV (Not supplied
- 1 Clip in television brackets
- Wall CD Cabinet
- Clip in shelving and CD racks
- 14 Back Panel floor standing or wall hung

Cabinet features include:

Cleverly designed wall panel system

Conceals cables from your TV and media devices in a hidden channel for a fully fitted look. Made up of separate panels which interlock together with horizontal aluminium trims.



Base cabinet for technology storage

Beautifully conceals all of your audio, media and gaming devices in a specially designed cabinet. A fold down mirror backed door enables operation of optional infrared sensor.



Handleless Opening

All cabinets are handleless with an integral aluminium trim and offer built-in soft closing systems fitted to doors and drawers with full extension for easy access.



Modular Design

A range of cabinet widths offer flexible design. Rigid glue and dowelled cabinets are supplied using 19mm MFC with matching backs.





Base cabinet with integrated electric fire

A contemporary electric convection fire with integral flame effect provides a heat source and makes an attractive focal point.



Intelligent Infrared Sensor

A discreet sensor gives you full control of all your media devices with your existing remotes enabling operation even when the door is closed.



Accessories

A range of glass and aluminium shelf accessories which interlock into the horizontal aluminium trims provide an attractive practical design option.



Recessed Handles

Wall cabinets are supplied with a discreet built-in aluminium handle rail to allow easy opening and creates an attractive handleless effect.

Two design options to choose between

Floor Standing Style

Low level fitted cabinets mounted on a baseboard create a floor standing contemporary style.

Wall Hung Style

Wall hung cabinets create a floating look leaving floors clear. An optional plinth can be fitted if necessary.






Design features include

- Two design styles Floor Standing or Wall Hung
- Clever wall panel system conceals all cables for a fully fitted look
- Horizontal aluminium trims interlock the back panels together and also provide support for shelf accessories and our specially designed TV support brackets
- Base cabinets for technology storage conceals all your audio/visual media and gaming devices
- Discreet infrared sensor gives you full control of all your media devices even when the doors are closed
- Base cabinet with integrated electric fire provides a heat source and an attractive focal point

Cabinet features include

- Five year guarantee
- Traditional glue and dowel construction supplied fully assembled
- Rigid 19mm MFC cabinets with 8mm matching backs
- Handleless door design provided by recessed handle trim in aluminium
- All cabinets have built in soft closing systems fitted to doors and drawers
- All cabinets are made to order and hand built in the UK
- Wall Cabinets supplied with discreet built-in handles

Planning your space



- Measure the wall you intend to use and check there is a suitable power supply and access to an aerial, cable or satellite connection
- 2 Decide on the overall desired width for your media furniture to work within
- 3 Consider how much you wish to store and how many devices you wish to incorporate
- 4 Be sure you know the size of your TV
- 5 Choose your base cabinet configuration from this guide combining fold down door fronts and drawer units as required

- 6 Select a continuous top to measure the same as your combined base cabinets
- 7 Choose a back panel width to suit your chosen design style floor or wall hung. For guidance please refer to the appropriate product guide pages
- 8 Be sure that your TV will fit suitably within the back panel dimensions and decide on your mounting bracket. Choose our TV bracket from accessories or re-use an existing one
- 9 Using the design that you have put together choose your cabinet and door finishes to suit your taste or budget from the colour finish pages of this product guide

You should also consider the following:

Do you need an infared sensor repeater to operate your hardware behind the closed cabinet door?

Would you like to include wall units, shelves or perhaps a


Enhance your design with discreet back panel LED lighting

door finishes to suit your design from the colour finish pages of this guide.

You can order swatch samples of your colour finishes from our retailers to view prior to placing your order.

Pricing is shown in three columns to the right of the product guide pages. Prices vary depending on your choice of matt or gloss door finish.

1. Select your door finish



Choosing your door finish is important. Colour match to your desired kitchen finish or choose a contrast to suit your taste.



>>> Price Group One

Matt Woodgrain Horizontal woodgrain slab style 19mm door with matching ABS edging














Grey Bardolino Truffle Bardolino



Lancaster Oak

> Price Group One

Matt Foil Matt foiled slab style 18mm door







Cashmere





Pumice

Price Group Two

Matt painted slab style 18mm door









Dust Grey Matt



Anthracite Matt

Price Group Two

Gloss painted slab style 18mm door













White Gloss

>>> Price Group Two

Designer Matt Slab style 18mm door with matching ABS edging














Milano Oxide Matt

Milano Concrete Matt

Smoke Blue Matt

2. Choose your cabinet & component finish


With 18 cabinet, plinth/baseboard, continuous top and back panel finishes to choose from you can either select one colour for all the cabinet components or a contrast. Detailed below are the components that go to make up the media furniture range.



Choose your Cabinet finish




Choose your Top finish



Choose your Plinth Support finish



Choose your Baseboard finish



Choose your Back Panel finish

Please note: Base cabinets mounted on floor standing full height back panels require a Baseboard for additional support

Plain Matt MFC Cabinets & Components



Woodgrain Matt MFC Cabinets & Components

Woodgrain on cabinet units always run vertically. Woodgrain on plinth and back panel always runs horizontally. Woodgrain on continuous top and baseboard always runs left to right.



Lancaster Oak



Nautic Oak



Natural Oak



Oak Light



Oak Dark

Oak Deep



Tobacco Oak



Grey Bardolino



Truffle Bardolino



Oak Grey



CABINETS

Order Code

Dimensions

Wide

de Dee



Wall Hung

- With this style we recommend back panels are ordered the same width or less than the planned cabinet width according to your design preference
- We recommend plinths are ordered 200mm narrower than the planned cabinet width
- Please note continuous tops are designed to overhang the planned cabinet width by 10mm on either side

WALL HUNG CABINET WITH FOLD DOWN DOOR 395 High One fold down door. One glass shelf. Continuous tops are not included please order separately Rear of door is mirrored for use with Infrared Repeater Kit	HCFF 60/39-4 HCFF 80/39-4 HCFF 90/39-4 HCFF 100/39-4	600 800 900 1000	420 420 420 420 420
WALL HUNG CABINET WITH PULLOUT DRAWER 395 High One Pull out drawer. Continuous tops are not included please order separately	MPC 60/39-4 MPC 80/39-4 MPC 90/39-4 MPC 100/39-4	600 800 900 1000	420 420 420 420 420
WALL HUNG CABINET WITH BUILT IN 2KW ELECTRIC FIRE 395 High One fixed frame door. One electric convection fan heater with flame effect under lit pebbles. NB: The convection style heater uses an open frame door to allow circulation of heat Continuous tops are not included please order separately Please note: 240v / 13 amp supply is required for this item	EFC 80/39-4 EFC 90/39-4 EFC 100/39-4	800 900 1000	420 420 420

BACK PANELS CABINET TOPS & PLINTHS	Order Code	Dime	nsions Deep
WALL HUNG BACK PANELS IN CABINET & COMPONENT FINISHES 1333mm High 1333 Back panel system consisting of 4 panels and an aluminium trim system for interlocking panels and mounting accessory shelving / TV brackets	WBP 90/13 WBP 100/13 WBP 120/13 WBP 140/13 WBP 160/13 WBP 200/13 WBP 220/13 WBP 220/13 WBP 240/13	900 1000 1200 1400 1600 2000 2200 2400 2700	80 80 80 80 80 80 80 80 80 80
Available in cabinet finishes only Divider rails only available in aluminium Optional plinth available for additional support if required We recommend ordering the same width as planned cabinet width CONTINUOUS TOPS IN CABINET & COMPONENT FINISHES			
19mm High Continuous top 19mm thick	CTC 92/44 CTC 102/44 CTC 122/44 CTC 142/44 CTC 162/44 CTC 182/44 CTC 202/44 CTC 222/44 CTC 242/44 CTC 272/44	920 1020 1220 1420 1620 1820 2020 2220 2420 2720	440 440 440 440 440 440 440 440 440 440
Available in cabinet finishes only Worktop overhangs planned cabinet width by 20mm overall Worktop is pre-cut for installation of cables behind back panel			
PLINTH SUPPORTS IN CABINET & COMPONENT FINISHES 200mm High To offer additional support for wall hung cabinets.	PL 90/20 PL 100/20 PL 120/20 PL 140/20 PL 160/20 PL 180/20 PL 200/20 PL 220/20 PL 240/20	900 1000 1200 1400 1600 1800 2000 2200 2400	200 200 200 200 200 200 200 200 200 200
Available in cabinet finishes only We recommend ordering 200mm under planned cabinet width Offers increased security for plasterboard wall mounting	PL 270/20	2700	200

CABINETS

Order Code

Dimensions

Wide

Deep



Floor Standing

- With this style we recommend baseboards and back panels are ordered at least 200mm wider than the planned cabinet width up to 2700mm according to your design preference
- Please note continuous tops are designed to overhang the planned cabinet width by 10mm on either side

BASE CABINET WITH FOLD DOWN DOOR 395 High One fold down door. One glass shelf. Continuous tops are not included please order separately	HCFFB 60/39-4	600	420
	HCFFB 80/39-4	800	420
	HCFFB 90/39-4	900	420
	HCFFB 100/39-4	1000	420
Rear of door is mirrored for use with Infrared Repeater Kit			
BASE CABINET WITH PULLOUT DRAWER 395 High One Pull out drawer. Continuous tops are not included please order separately	MPCB 60/39-4	600	420
	MPCB 80/39-4	800	420
	MPCB 90/39-4	900	420
	MPCB 100/39-4	1000	420
BASE CABINET WITH BUILT IN 2KW ELECTRIC FIRE 395 High One fixed frame door. One electric convection fan heater with flame effect under lit pebbles. NB: The convection style heater uses an open frame door to allow circulation of heat Continuous tops are not included please order separately Please note: 240v / 13 amp supply is required for this item	EFCB 80/39-4	800	420
	EFCB 90/39-4	900	420
	EFCB 100/39-4	1000	420

BACK PANELS CABINET TOPS & BASEBOARDS	Order Code	Dime	nsions Deep
FLOOR STANDING BACK PANELS IN CABINET & COMPONENT FINISHES 1994mm High 1994 Back panel system consisting of 5 panels and an aluminium trim system for interlocking panels	FBP 90/19 FBP 100/19 FBP 120/19 FBP 140/19 FBP 160/19 FBP 200/19 FBP 220/19 FBP 220/19 FBP 240/19 FBP 270/19	900 1000 1200 1400 1800 2000 2200 2400 2700	80 80 80 80 80 80 80 80 80 80
Available in cabinet finishes only Divider rails only available in aluminium Units must be installed on a Base board for support We recommend ordering 200mm over planned cabinet width CONTINUOUS TOPS IN CABINET & COMPONENT FINISHES 19mm High			
Continuous overhanging top Available in cabinet finishes only	CT 92/44 CT 102/44 CT 122/44 CT 142/44 CT 162/44 CT 182/44 CT 202/44 CT 222/44 CT 242/44 CT 272/44	920 1020 1220 1420 1620 1820 2020 2220 2420 2720	440 440 440 440 440 440 440 440 440
Worktop overhangs planned cabinet width by 20mm overall BASEBOARDS BASEBOARDS			
IN CABINET & COMPONENT FINISHES 60mm High Floor standing 60mm high baseboard	BB 91/54 BB 101/54 BB 121/54 BB 141/54 BB 161/54 BB 181/54 BB 201/54 BB 221/54 BB 241/54 BB 271/54	910 1010 1210 1410 1610 1810 2010 2210 2410 2710	540 540 540 540 540 540 540 540 540 540
Available in cabinet finishes only Baseboards are designed to be 10mm wider than the backpanels We recommend ordering 200mm larger than planned cabinet width	BB 271/54	2710	540

	0-1	Dime		
WALL CABINETS	Order Code	Wide	Deep	
WALL CABINET 290 High One flap door. Please note these units cannot be stacked or placed	HWC 60/29-2 HWC 80/29-2 HWC 90/29-2 HWC 100/29-2	600 800 900 1000	220 220 220 220 220	
directly onto worktop due to the integral handle design				
WALL CABINET 360 High One flap door.	HWC 60/36-2 HWC 80/36-2 HWC 90/36-2 HWC 100/36-2	600 800 900 1000	220 220 220 220 220	
Please note these units cannot be stacked or placed directly onto worktop due to the integral handle design				
WALL CABINET 595 High One door. One adjustable shelf. Please state L/R hand. Right hand illustrated. Please note these units cannot be stacked or placed directly onto worktop due to the integral handle design	W 36/59-2L W 36/59-2R	360 360	220 220	
WALL CABINET 795 High One door. Two adjustable shelves. Please state L/R hand. Right hand illustrated. Please note these units cannot be stacked or placed	W 36/79-2L W 36/79-2R	360 360	220 220	
wall cabinet				-
995 High One door. Two adjustable shelves. Please state L/R hand. Right hand illustrated. Please note these units cannot be stacked or placed directly onto worktop due to the integral handle design	W 36/99-2L W 36/99-2R	360 360	220 220	

			- '	vicaia
CLIP IN SHELVING & CD RACKS	Order Code	Dimensions		
CLIP IN SHELVING & CD RACKS	Order Code	Wide	Deep	
WALL CD CABINET 995 High				
Built in CD rack.	VWCD 19/99	190	175	
GLASS SHELVING				
10mm Glass Shelving to suit Glass Shelving brackets	GS 300 GS 400 GS 600 GS 900	300 400 600 900	150 150 150 150	
Brackets not included. Please order 2 x GSB brackets shown below. Only suitable for use with back panel system				
GLASS SHELVING BRACKETS				
Aluminium glass shelf bracket Clip in fastening system Brushed Aluminium finish Supplied each To suit Type GS Glass shelving. Only suitable for use with back panel system	GSB	24	46	
ALUMINIUM SHELVING				-
Aluminium shelf Clip in fastening system Brushed Aluminium finish Only suitable for use with back panel system	AS 200 AS 300	200 300	150 150	
ALUMINIUM CD RACK				-
Aluminium CD rack Clip in fastening system Brushed Aluminium finish 150mm holds 8 Standard CDs 300mm holds 16 Standard CDs	CDR 150 CDR 300	150 300	65 65	
Only suitable for use with back panel system				

LIGHTING, REPEATERS	REPEATERS Dimensions		nsions
SAFETY & CLIP IN TV BRACKETS	Order Code	Wide	Deep
BACK PANEL LED LIGHTING KIT		To suit panel	
Lighting kit to suit specific back panel widths. Supplied with driver and all necessary connectors.	BLK 90 BLK 100 BLK 120 BLK 140 BLK 160 BLK 180 BLK 200 BLK 220 BLK 220 BLK 240 BLK 270	900 1000 1200 1400 1600 1800 2000 2200 2400 2700	
INFRARED REPEATER KIT			
Remote control repeater for control of media devices with cabinet doors closed. Compatible with existing remote controls. Supplied with driver and all necessary connectors.	IFR 240		
Please note: The door must be closed for operation of this system CHILD SAFETY LOCK			
Single child lock kit for cabinet door fronts.	CL		
CLIP IN TELEVISION BRACKETS			
Universal bracket for televisions with standard VESA mount.	TVB		
Only suitable for use with back panel system. Can be trimmed for smaller TV units. Supplied in pairs.			

ORDER FORM	
Customer Ref:	Date of Order


Delivery Date (w/c) Custo		Custo	mer Re	 əf:		Date of Order		
CUSTON	IER DETAILS							
Name								
Addres	SS:		Delivery address (if different):					
			Site To	elephone N	0:			
		Ì		Finish:				
		ŀ	Cabin	et Colour:				
Teleph	one:		Contir	nuous Top (Colour:			
Mobile	 ::		Baset	ooard or Plin	nth Colour:			
Contact name:			Back Panel Colour:					
Contac	ct Email:							
Qty:	Code Number:	L/R	Com	ments:				
			$oxed{oxed}$					
			↓					
			—					
			—					
			—					
			\vdash					
			\vdash					
			\vdash					
			\vdash					
			+					
	Thank you for your order							
Signed:					Date:			


PLEASE PHOTOCOPY AND USE FOR ORDERING

Technical Information

Wall Hung Style


With this style we recommend back panels are ordered the same width as the planned cabinet width






Floor Standing Style

With this style we recommend baseboards and back panels are ordered 200mm wider than the planned cabinet width






Baseboard will overhang the back panel by 5mm either side and should be ordered to suit the planned back panel width

^{*} Please note: Base cabinets mounted on full height back panels require a Baseboard for additional support

Technical Information

Back panel fitting simply requires a pair of wall mounting rails fixing to the wall with suitable fixings. Fasten the bottom panel to the rails through pre-drilled holes and push on a horizontal aluminium divider strip then repeat the process for all the other panels. Panels can be easily notched out or drilled for cabling prior to assembly.


Floor Standing Style




Panels can be installed in any order to suit cable access or TV mounting heights with the exception of the 650mm 'Floor Standing Style' bottom panel.

Cut out hole in back panel to allow cable routing.

Wall Hung Style



Conventional TV wall brackets can be used but must be bolted securely through the back panel. Heavy duty wall fixing brackets are supplied with all wall hung cabinets. If wall strength fixing is weak please order optional plinth support.



Please note: Ensure the divider is installed right way up

Final assembly is simply finished with an aluminium vertical end cap and panel matching 57mm filler.

